This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

THIS PAGE BLANK (USPTO)

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLIS	HED (UNDER THE PATENT COOPERATION TREATY (PCT)
(51) International Patent Classification ⁶ :		(11) International Publication Number: WO 99/00135
A61K 31/59, 33/30	A1	(43) International Publication Date: 7 January 1999 (07.01.99)
 (21) International Application Number: PCT/EP (22) International Filing Date: 25 June 1998 ((30) Priority Data: 9713620.4 28 June 1997 (28.06.97) (71) Applicant (for all designated States except US): THE COMPANY PLC [GB/GB]; 1 Thane Road West, ham NG3 2AA (GB). (72) Inventor; and (75) Inventor/Applicant (for US only): CLAYTON, Paul [GB/GB]; 2 Lancaster Avenue, London SE27 9DZ (74) Agent: THACKER, Michael, Anthony; The Boots PLC, Group Patents Dept., D31, 1 Thane Road Nottingham NG2 3AA (GB). 	25.06.9 G BOOT Nottin	BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.
	AND	VITAMIN D, FOR TREATING OR PREVENTING OSTEOPOROSIS
Compositions for the prevention and treatment of ost vitamin D3) optionally with vitamin B6, vitamin C, vitamin boron and molybdenum.	coporos ı A, dio	sis comprise vitamin K (preferably vitamin K1) and vitamin D (preferably segenin, and mineral supplements, for example magnesium, calcium, zing,

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	Prance	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IR	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Vict Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		•
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		•
EE	Estonia	LR	Liberia	SG	Singapore		

5

10

15

20

25

COMPOSITION COMPRISING VITAMIN K AND VITAMIN D, FOR TREATING OR PREVENTING OSTEOPOROSIS

The present invention relates to the prevention and treatment of osteoporosis and to compositions for use in such prevention or treatment.

Compositions for the prevention and treatment of osteoporosis according to the present invention comprise a therapeutically effective amount of vitamin K and a therapeutically effective amount of vitamin D said compositions being characterised in that they contain no diosgenin or, if diosgenin is present, the amount present should be such that the amount to be administered each day is less than 100 mg. Optionally the composition also contains a therapeutically effective amount of vitamin B6 and/or mineral supplements (eg magnesium, calcium, zinc, boron and/or molybdenum) and/or vitamin C and/or vitamin A.

Method of preventing or treating osteoporosis according to the present invention comprises the administration to a subject in need thereof a therapeutically effective amount of vitamin K and a therapeutically effective amount of vitamin D said method being characterised in that either no diosgenin is administered to the patient or, if diosgenin is administered the amount administered to the patient each day is less than 100 mg. Optionally the method of the present invention also comprises the administration of a therapeutically effective amount of vitamin B6 and/or mineral supplements (eq. magnesium, calcium, zinc, boron and/or molybdenum) and/or vitamin C and/or vitamin A. The vitamin K, vitamin D and optional vitamin B6, mineral supplements, vitamin C, vitamin A and diosgenin may be administered simultaneously or sequentially. For simultaneous administration the components may be combined into a single dosage form or may be formulated into several dosage forms which are intended to be taken at the same time.

5

10

15

20

25

The term "Vitamin K" as used herein is intended to cover vitamin K in any of its forms (ie vitamin K1, vitamin K2, vitamin K3, vitamin K4, vitamin K5, vitamin K6 and vitamin K7) or any precursor or analogue to any of these vitamins (such as the naphthaquinones) which would give rise to vitamin K -like activity after administration. Preferred vitamin K components are provided by vitamin K1 and/or vitamin K2. The amount of vitamin K to be administered per day is in the range 5 to 5000 µg, preferably 10 to 200 µg. This amount may be administered in a single dose or in more than one dose which may be taken at different times throughout the day.

The term "Vitamin D" as used herein is intended to cover vitamin D in any of its forms (ie vitamin D1 ,vitamin D2 vitamin D3 or vitamin D4) or any precursor or analogue to any of these vitamins which would give rise to vitamin D-like activity after administration. The preferred form of vitamin D is vitamin D3. The amount of vitamin D to be administered per day is in the range 5 to 5000 μ g preferably 10 to 100 μ g. This amount may be administered in a single dose or in more than one dose which may be taken at different times throughout the day.

The term "Vitamin B6" as used herein is intended to cover pyridoxine hydrochloride or any other of the vitamins of the B6 complex (ie codecarboxylase, pyridoxal hydrochloride or pyridoxamine dihydrochloride) or any precursors or analogues thereof which would give rise to vitamin B6-like activity. The amount of vitamin B6 to be administered per day is in the range 100 µg to 1000 mg, preferably 5 to 100 mg. This amount may be administered in a single dose or in more than one dose which may be taken at different times throughout the day.

The term "mineral supplements" used herein represents supplements containing calcium preferably given as salts (eg the carbonate, gluconate or

3

5

10

15

20

25

30

lactate salts of calcium) and magnesium preferably given as magnesium oxide or as salts (eg the carbonate or chloride salts of magnesium). The amount of calcium (expressed as the amount of elemental calcium) to be administered per day is preferably in the range 100 mg to 10 g, more preferably 500 mg to 5 g, most preferably about 1000 mg. The amount of magnesium (expressed as the amount of elemental magnesium) to be administered per day is preferably in the range 50 mg to 5g, more preferably in the range 50 mg to 5 g, more preferably 100 mg to 1 g, most preferably about 500 mg. In preferred compositions there is a molar excess of calcium over magnesium. The molar ratio of calcium to magnesium is preferably greater than 1, more preferably greater than 1.5, most preferably about 2. One form of administration of the mineral supplement is as an effervescent tablet which is added to water to provide a solution of the minerals which is ingested by the patients. Such tablets are well known in the art and comprise an effervescent couple which react together in the presence of water to release a gas which causes the effervescence. The effervescent couple may comprise a carbonate or bicarbonate salt such as sodium carbonate or bicarbonate and an acidic component ascorbic or adipic acid or an acid salt such as disodium hydrogen citrate. If the calcium and magnesium salts given as the mineral supplement are in the form of their carbonate salts, these salts may form all or part of the carbonate component of the effervescent couple. The mineral supplements may also contain other elements eg zinc, boron and molybdenum. The amount of zinc (expressed as the amount of elemental zinc) to be administered per day is preferably in the range 1 to 100 mg, more preferably 5 to 20 mg. The zinc is preferably administered in the form of zinc oxide or of salts such as the gluconate or orotate salts. The amount of boron (expressed as the amount of elemental boron) to be administered per day is preferably in the range 1 to 100 µg preferably 5 to 20 µg. The boron is preferably administered in the form of sodium or potassium perborate. The amount of molybdenum (expressed as the amount of elemental molybdenum) to be administered per day is preferably in the range 10 to 1000 µg more preferably

THE HELE

50 to $500~\mu g$. The molybdenum is preferably administered in the form of sodium or potassium molybdate. The mineral supplements may be administered in a single dose or in more than one dose which may be taken at different times throughout the day.

5

10

The term "Vitamin C" as used herein is intended to cover vitamin C in any of its forms (eg salts of ascorbic acid) or any precursor or analogue which would give rise to vitamin C-like activity after administration. The preferred form of vitamin C is ascorbic acid. The amount of vitamin C to be administered per day is in the range 5 to 5000 mg preferably 50 to 200 mg. This amount may be administered in a single dose or in more than one dose which may be taken at different times throughout the day.

15 -

The term "Vitamin A" as used herein is intended to cover retinol and salts thereof such as the acetate or palmitate salts or any precursors or analogues thereof which would give rise to vitamin A-like activity. The amount of vitamin A to be administered per day is in the range 0.5 to 100 mg, preferably 1 to 10 mg. This amount may be administered in a single dose or in more than one dose which may be taken at different times throughout the day.

20

25

Diosgenin [(25R)-spirost-5-en-3ß-ol] optionally used in the compositions and method of the present invention may be used in a chemically pure form which may be isolated from natural sources (eg from yams), may be prepared by chemical modification of saponins obtained from natural sources or may be prepared synthetically. Alternatively, an extract obtained from a natural source which is rich in diosgenin or a precursor thereto may be used. A suitable source would be an extract of yam. The amount of diosgenin to be administered per day is in the range 1 to 99 mg preferably 10 to 90 mg most preferably 20 to 50 mg. This amount may be

5

10

15

20

25

administered in a single dose or in more than one dose which may be taken at different times throughout the day.

The pharmaceutical compositions of the present invention may be administered as oral dosage forms and may be solid dosage forms eg tablets, capsules, lozenges, chewable tablets or capsules or may be liquid dosage forms eg solutions, suspensions, dispersions or syrups. A preferred pharmaceutical composition for the vitamins and optional diosgenin is a soft-gel capsule in which the active ingredients are dissolved or dispersed in a liquid non-aqueous centre. Alternatively, the compositions of the present invention may be formulated so that the active materials are administered transdermally. Examples of suitable transdermal dosage forms are creams and gels containing the active materials or patches which may be adhesively attached to the skin and which contain a reservoir of the active material optionally in combination with a penetration enhancer or other suitable excipients.

にかけいのかとうなどのかのかけれた はいかいか いっこうこう

These oral and transdermal dosage forms may be prepared by methods which are well-known to those skilled in the art.

The preferred soft gel capsules may be prepared by dissolving or suspending the active ingredients and any excipients or other desirable formulation aids in an oily medium which is then encapsulated in the soft gel capsule.

The efficacy of the compositions of the present invention and the effectiveness of the method of the present invention can be shown by means of clinical trials. In one such trial volunteers are given the compositions of the present invention containing vitamin K (for example 120µ of vitamin K1), vitamin D (for example 20µ of vitamin D3), vitamin B6 (for example 10 mg) and optionally diosgenin for a period of 84 days. Analysis of blood and urine

5

10

samples taken at the start and end of the trial and at the midpoint_of the trial will enable the bone status and level of metabolic activity to be determined for each subject.

A second such trial is conducted on the double blind placebo controlled principle in which neither the subjects nor the physician are aware of whether the subject is receiving active material or a placebo, and is carried out to CTX standards. Every 24 weeks over a 96 week period, bone mass and the biochemical parameters of bone metabolism are measured in two groups of post menopausal women. One group receives a composition of the present invention and the other group receives placebo. An example of a composition of the invention for use in these trials is detailed below.

	Vitamin K1	120 µg
	Vitamin D3	20 μg
	Vitamin A .	2 mg
15	Vitamin B6	10 mg
	Calcium	500 mg
	Magnesium	200 mg
	Zinc	7.5 mg
	Boron	20 µg
20	Molybdenum	100 µg
	Diosgenin	99 mg

7

CLAIMS

1. Compositions for the prevention and treatment of osteoporosis comprising a therapeutically effective amount of vitamin K and a therapeutically effective amount of vitamin D said compositions being characterised in that they contain no diosgenin or, if diosgenin is present, the amount present should be such that the amount to be administered each day is less than 100 mg.

5

15

- Compositions as claimed in claim 1 comprising a therapeutically
 effective amount of vitamin K1 and a therapeutically effective amount of vitamin D3.
 - 3. Compositions as claimed in claim 1 or 2 which also contain a therapeutically effective amount of vitamin B6 and/or mineral supplements and/or vitamin C and/or vitamin A.
 - 4. Compositions as claimed in claim 3 wherein the mineral supplements comprise magnesium, calcium, zinc, boron and/or molybdenum.
- 20 5. A method of preventing or treating osteoporosis comprising the administration to a subject in need thereof a therapeutically effective amount of vitamin K and a therapeutically effective amount of vitamin D, said method being characterised in that either no diosgenin is administered to the patient or, if diosgenin is administered, the amount administered to the patient each day is less than 100 mg.

- 6. The method according to claim 5 comprising the administration to a subject in need thereof a therapeutically effective amount of vitamin K1 and a therapeutically effective amount of vitamin D3.
- 7. The method according to claim 5 or 6 which also comprises the administration of a therapeutically effective amount of vitamin B6 and/or mineral supplements and/or vitamin A and/or vitamin C.
- 8. The method according to claim 7 wherein the mineral supplements comprise magnesium, calcium, zinc, boron and/or molybdenum.

inte .onal Application No
PCT/EP 98/04031

•	PCT/EP 98/04031			
A. CLASSI IPC 6	FICATION OF SUBJECT MATTER A61K31/59 A61K33/30			
According to	o International Patent Classification (IPC) or to both national class	ification and IPC		
	SEARCHED			
Minimum do IPC 6	ocumentation searched (classification system followed by classific A61K	cation symbols)		
Documenta	tion searched other than minimum documentation to the extent the	at such documente are inclu	ded in the fields searched .	
Electronic d	tata base consulted during the international search (name of data	base and. where practical,	search terms used)	
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT			
Category '	Citation of document, with indication, where appropriate of the	relevant passages	Relevant to claim No.	
P,X	PATENT ABSTRACTS OF JAPAN vol. 098, no. 011, 30 September & JP 10 146167 A (TOYO YAKUSHI KK), 2 June 1998 see abstract	1998 YOKU KOGYO	1,3-5,7, 8	
P,X	PATENT ABSTRACTS OF JAPAN vol. 098, no. 008, 30 June 1998 & JP 10 056978 A (YAKULT HONSH 3 March 1998 see abstract		1,5	
P,X	EP 0 819 436 A (FUCHS NORBERT M 21 January 1998 see page 5, line 46-49; claims see page 8, line 20-55		1-8	
		-/		
		•		
X Furt	her documents are listed in the continuation of box C.	X Patent family r	nembers are fisted in annex.	
° Special ca	ategories of cited documents:	"T" later document publ	ished after the international filing date	
	ent defining the general state of the art which is not dered to be of particular relevance	or priority date and cited to understand invention	not in conflict with the application but the principle or theory underlying the	
"E" earlier o	document but published on or after the International date	"X" document of particu cannot be consider	tar relevance; the claimed invention red novel or cannot be considered to	
which citatio	ant which may throw doubts on priority claim(s) or is cited to establish the publication date of another in or other special reason (as specified) sent referring to an oral disclosure, use, exhibition or	"Y" document of particu cannot be consider document is combi	e step when the document is taken alone lar relevance; the claimed invention red to involve an inventive step when the med with one or more other such docu-	
"P" docume	means ent published prior to the international filing date but han the priority date claimed	in the art.	nation being obvious to a person skilled of the same patent family	
	actual completion of the international search		he international search report	
1	December 1998	14/12/1	998	
Name and	mailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2	Authorized officer		
	NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo ni, Fax: (+31-70) 340-3016	Kanbier	, D	

1

Inte onal Application No PCT/EP 98/04031

C.(Continu	lation) DOCUMENTS CONSIDERED TO BE RELEVANT	PCT/EP 98/04031
Category '	Citation of document, with indication where appropriate, of the relevant passages	Relevant to claim No: -
X	WO 96 23504 A (ORTHOMOL PHARMAZEUTISCHE VERTR) 8 August 1996 see page 2, paragraph 4; claims 1,6,7,12,17; examples 3,4 see page 3, paragraph 1 see page 3, line 7-12, paragraph 3 see page 5, line 6-9, paragraph 5	1-8
X	US 5 597 585 A (WILLIAMS ANDREW H ET AL) 28 January 1997 see column 2, line 35-37 see column 5, line 64 - column 6, line 1	1-8
X	US 5 514 382 A (SULTENFUSS SHERRY) 7 May 1996 see column 6, line 3-14; claims see column 6, line 30-49	1,3-5,7, 8
K	KOSHIHARA ET AL: "Vitamin K2 promotes 1-alpha, 25(OH)2 Vitamin D3 -Induced Mineralization in Human Periosteal Osteoblasts" CALCIFIED TISSUE INTERNATIONAL, vol. 59, no. 6, 1996, pages 466-473, XP002086350 see page 471-472; figures 2,4,5	1,2,5,6
	HAN ET AL: "Simultaneous Determination of Fat Soluble Vitamins A, D3, E and K1 in Fortified Milk Powders by HPLC" CHINESE CHEMICAL LETTERS, vol. 2, no. 8, 1991, pages 649-652, XP002086351 see page 652, line 3-5	1-3
, А	WO 97 25049 A (BOOTS CO PLC) 17 July 1997 see page 1, paragraph 2-3; claims see page 2, paragraph 2-4	1-8
	WO 91 11117 A (UNIV TEXAS) 8 August 1991 see page 21, paragraph 4 - page 22, paragraph 1; table 3 see page 24, paragraph 3 see page 25, paragraph 2 see page 36-39; claim 3 see page 25, paragraph 3 - page 26, paragraph 1	1-8
	-/	

Inte onal Application No PCT/EP 98/04031

Category '	ation) DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages	 Relevant to claim No
	SERGEEV ET AL: "Vitamin K -Dependent gamma-Carboxylation of the 1,25-Dihydroxyvitamin D3 Receptor" BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS, vol. 189, no. 3, 1992, pages 1543-1547, XP002086352 see page 1545 - page 1546	1,2
		·
	• • • • • • • • • • • • • • • • • • •	·

....emational application No.

PCT/EP 98/04031

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1. X Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely: Remark: Although claim(s) 1-8 is(are) directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged
effects of the compound/composition. 2. Claims Nos because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful international Search can be carried out, specifically:
Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This international Searching Authority tound multiple inventions in this international application, as follows:
As all required additional search fees were timely paid by the applicant, this international Search Report covers all searchable claims.
As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid specifically claims Nos.:
No required additional search fees were timely paid by the applicant. Consequently, this international Search Report is restricted to the invention first mentioned in the claims: it is covered by claims Nos.:
Remark on Protest
The additional search fees were accompanied by the applicant's protest.
No protest accompanied the payment of additional search fees.

information on patent family members

Inte ional Application No
PCT/EP 98/04031

Patent document cited in search repor	t	Publication date	Patent family member(s)	Publication date
EP 0819436	A	21-01-1998	CA 2209848 A JP 10067666 A US 5759586 A	19-01-1998 10-03-1998 02-06-1998
WO 9623504	A	08-08-1996	DE 19503190 A CA 2211177 A EP 0806953 A	08-08-1996 15-10-1997 19-11-1997
US 5597585	Α	28-01-1997	NONE	
US 5514382	Α	07-05-1996	NONE	
WO 9725049	Α	17-07-1997	AU 1442697 A EP 0873125 A NO 983184 A	01-08-1997 28-10-1998 10-07-1998
WO 9111117	Α	08-08-1991	AT 147592 T AU 646840 B AU 7241491 A CA 2074527 A DE 69124223 D DE 69124223 T EP 0514451 A	15-02-1997 10-03-1994 21-08-1991 06-08-1991 27-02-1997 30-04-1997 25-11-1992

THIS PAGE BLANK (USPTO)